

PRD N° 0230 B Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





EU Type Examination Certificate

Date: 2020/10/19

n. 860204307/TE

Validity: 2025/10/18

This Certificate is a translation in English of the original Certificate issued in Italian.

The hereunder described items of Personal Protective Equipment have overcome positively the "EU type examination" (Module B), proving their conformity to the safety and health requirements of the Regulation (EU) 2016/425 (Annex II)

Manufacturer:	U-GROUP SRL
(Responsible of the PPE)	Via Borgomanero, 50 – 28040 Paruzzaro (NO) – Italia
Type of PPE:	Safety footwear in conformity with EN ISO 20345:2011 class I (= footwear in leather and other materials)
Category of PPE:	II : "medium" risks. This certificate is based on reference standards listed below: its validity is no longer ensured should new version of the standards come into force.
Model	"TOKYO ESD"
	code RI21076
Description:	<u>model</u> : A (low footwear); <u>fastening system</u> : by means of laces; <u>processing</u> : direct injection; <u>outsole</u> : light grey compact PU "7466 NIC" marked "ANTISTATIC OIL RESISTANT" (CH 00116); <u>midsole</u> : black foam PU (CH 00117);
	 <u>upper:</u> lead-grey split suede leather declared thickness 1,8/2,0 mm (PL 00039) with internal reinforcement made of satin cotton (SI 00349) in the toe-tip area, fluo fuchsia 316 three-dimensional knitting SURF (SI 00741) internally reinforced with beige fabric, with reflective insert in the heel area LUXOR ARGENTO ECO (SI 00245); <u>collar</u>: dark grey three-dimensional knitting IMOLA (code SI 00153), tongue: dark grey three-dimensional knitting IMOLA (code SI 00153), lined and centrally padded; <u>bellows</u>: black coated synthetic fabric art. SPICE (SI 00002); <u>vamp lining</u>: grey three-dimensional knitting IMOLA coupled with black canvas (SI 00649); <u>quarter and tongue lining</u>: fluo fuchsia 316 three-dimensional knitting SURF (SI 00618); <u>upper tongue lining</u> and rear edge: fluo fuchsia 316 three-dimensional knitting SURF (SI 00618); <u>upper tongue lining</u> and rear edge: fluo fuchsia 316 three-dimensional knitting SURF (SI 00618); <u>upper tongue lining</u> and rear edge: fluo fuchsia 316 three-dimensional knitting SURF (SI 00618); <u>upper tongue lining</u> and rear edge: fluo fuchsia 316 three-dimensional knitting SURF (SI 00618); <u>upper tongue lining</u> and rear edge: fluo fuchsia 316 three-dimensional knitting SURF (SI 00618); <u>upper tongue lining</u> and rear edge: fluo fuchsia 316 three-dimensional knitting SURF (SI 00618); <u>upper tongue lining</u> and rear edge: fluo fuchsia 316 three-dimensional knitting SURF (SI 00618); <u>upper tongue lining</u> and rear edge: fluo fuchsia 316 three-dimensional knitting SURF (SI 00618); <u>upper tongue lining</u> and rear edge: fluo fuchsia 316 three-dimensional knitting SURF (SI 00618); <u>upper tongue lining</u> and rear edge; fluo fuchsia 316 three-dimensional knitting SURF (SI 00618); <u>upper tongue lining</u> and rear edge; fluo fuchsia 316 three-dimensional knitting SURF (SI 00618); <u>upp</u>
	Customer as follows (see also page 3): SECOSOL® by Matthias Hartmann Orthopädie + Sport GmbH (max thickness in the toetip area: 2,9 mm): SECOSOL® COMPLETE – article number 951622012451XX SECOSOL® LAMINATO CON TESSUTO – article number 9516101XXX7XXX
	COLLAUDI



PRD N° 0230 B Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





EU Type Examination Certificate

Date: 2020/10/19	n. 86	0204307/TE	Validity 2025/10/18
Technical Standard:	EN ISO 20344:2011 (UNI EN ISO 20344:2012) EN ISO 20345:2011 (UNI EN ISO 20345:2012)	Personal protective equipment – Test m Personal protective equipment – Safety	
Intended use:	g <mark>ene</mark> ral industry, engineeri	n <mark>g indust</mark> ry, agriculture, wareh <mark>ous</mark> es, works	on trucks, cranes.
Size range:	from 35 to 42		
Technical File:	DC-12650/E	()) () () () () () () () () (
Test report:	RCT n°3934027.01/E		_
Functions and performance levels:	 basic requirements for safety footwear (SB) (see Table 2 and 3 of EN ISO 20345:2011): all mandatory ones, among which: SRC = Slip resistance – meets the following requirement: surface: ceramic / lubricant: detergent solution; surface: steel / lubricant: glycerol. Additional requirements (Tab. 18 and 20 of EN ISO 20345:2011): S1 = closed seat region, antistatic properties, energy absorption of seat region, resistance to fuel oil; P = penetration resistance of the sole. Note 1: the penetration resistance of the synthetic stitch proof insole tends to decrease with the diameter of the perforating object; in return the synthetic insole offers more protective surface and ergonomics advantages (flexibility, insulation, humidity and impact absorption). Note 2: the footwear also meets the requirement in accordance with IEC 61340-5-1:2016 (IEC 61340-4-3:2017) for the electrical resistance ESD (electric dissipative footwear. 		
Marking:	 CE Marking; registered trademark, na designation of the footw nr. and year of the Stanc size of the footwear (prin production date (month) 		





PRD N° 0230 B Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





EU Type Examination Certificate

Date: 2020/10/19

n. 860204307/TE

Validity: 2025/10/18



NOTE: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements. The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).



Certificato ue E rev04 - 19/04/18