

PRD N° 0230 B Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements

Date: 2021/09/03





1011

## EU Type Examination Certificate

n. **860213502/TE** 

Validity: 2026/09/02

This Certificate is a translation in English of the original Certificate issued in Italian.

The hereunder described items of Personal Protective Equipment have overcome positively the "EU type examination" (Module B), proving their conformity to the safety and health requirements of the Regulation (EU) 2016/425 (Annex II)

| Manufacturer:<br>(Responsible of the<br>PPE) | <b>U-GROUP SRL</b><br>Via Borgomanero, 50 – 28040 Paruzzaro (NO) – Italia   |
|--|---|
| Type of PPE:                                 | Safety footwear in conformity with EN ISO 20345:2011 class I (= footwear in leather and other materials)  |
| Category of PPE:                             | II: "medium" risks.<br>This certificate is based on reference standards listed below: its validity is no longer<br>ensured should new version of the standards come into force.   |
| Model:                                       | "DARDO"<br>code RR20416   |
| Description:                                 | model: A (low footwear);<br>fastening system: by means of black laces;<br>processing: direct injection;<br>outsole: black compact PU "7466 INDUSTRY" marked "ANTISTATIC OIL RESISTANT" (CH<br>00116);<br>midsole: black foam PU (CH 00117);<br>upper: black suede split leather declared thickness 1,8/2,0 mm (PL00008), black fishnet<br>knitting CICLAMINO coupled with FELTRO 300 GR (SI00387), with retro-reflective insert in<br>the heel and in the toe-tip area LUXOR ARGENTO ECO (SI 00245);<br>tongue: black fishnet knitting CICLAMINO coupled with FELTRO 300 GR (SI00387), centrally lined and padded;<br>bellows: black coated synthetic fabric SPICE (SI00002);<br>vamp lining: grey felt OMEGA ECO C02 (SI00120);<br>quarter and tongue lining: black three-dimensional fishnet knitting IMOLA (SI 00028);<br>insole: white multilayered fabric with black print declared conductive, art. WB FLEX<br>(SP00007), which also serves as penetration resistant insert;<br>removable insock: black perforated foam material, art. MEMORY, coupled with black<br>knitting in contact with the user, with zig-zag stitching with conductive thread in the<br>forepart (TL 00153);<br>toecap: made of polymeric material, art. PS240 HAWAI (PU 00042).Provided also with optional and interchangeable orthopaedic insocks SECOSOL®, see<br> |
| Technical Standard:                          | EN ISO 20344:2011<br>(UNI EN ISO 20344:2012)Personal protective equipment – Test methods for footwearEN ISO 20345:2011<br>(UNI EN ISO 20345:2012)Personal protective equipment – Safety footwear  |
| Intended use:                                | general industry, engineering industry, construction industry, agriculture, warehouses, works on trucks, cranes.  |
| Size range:                                  | from 35 to 48   |
| Technical File:                              | DC-13728/E  |
| Test report:                                 | RCT n°4032501/E   |



PRD N° 0230 B Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





## EU Type Examination Certificate

Date: 2021/09/03 n. 860213502/TE Validity: 2026/09/02 Functions and basic requirements for safety footwear (SB) (see Table 2 and 3 of EN ISO 20345:2011): all performance levels: mandatory ones, among which: **SRC = Slip resistance** – meets the following requirement: <u>surface</u>: ceramic / <u>lubricant</u>: detergent solution; <u>surface</u>: steel / <u>lubricant</u>: glycerol. Additional requirements (Tab. 18 and 20 of EN ISO 20345:2011): S1 = closed seat region, antistatic properties, energy absorption of seat region, resistance to fuel oil; **P =** penetration resistance of the sole. Note: the penetration resistance of the synthetic stitch proof insole tends to decrease with the diameter of the perforating object; in return the synthetic insole offers more protective surface and ergonomics advantages (flexibility, insulation, humidity and impact absorption). on a stitched label and displaying the following information: Marking: - CE Marking; registered trademark, name and complete address of the Manufacturer; - designation of the footwear (= article name and alphanumeric code); - nr. and year of the Standard of reference + safety symbols; - size of the footwear (printed on the outsole); - production date (month + year); - additional information: website, category of the PPE, "Made in ...". CE

Viewwww.vpower.it

Wiewww.vpower.it

Wiewww.vpower.it

Wiewwww.vpower.it

Wiewwww.vpower.it

Of/2021

DARDO

Borgon

Darbo 20345:2011

S1 P Src

Wie Borgonanero, 50
Paruzzaro (NO) -taby
PE II

NOTE: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements. The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).



Certificato ue E rev05 - 26/10/20