

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC





EU Type Examination Certificate

Date: 2021/03/30 n. 860211311/TE Validity: 2026/03/29

This Certificate is a translation in English of the original Certificate issued in Italian.

The hereunder described items of Personal Protective Equipment have overcome positively the "EU type examination" (Module B), proving their conformity to the safety and <mark>health requireme</mark>nts of the Regulation (EU) 2016/425 (Annex II)

Manufacturer: **U-GROUP SRL** (Responsible of the Via Borgomanero, 50 <u>–</u> 28040 Paruzzaro (NO) <u>– Italia</u> PPE) Type of PPE: Safety footwear in conformity with EN ISO 20345:2011 class I (= footwear in leather and other materials) Category of PPE: II: "medium" risks. This certificate is based on reference standards listed below: its validity is no longer ensured should new version of the standards come into force.

Model "LIGHT ONE" code RR30566

model: A (low shoe); Description:

fastening system: by means of one Velcro strap;

processing: direct injection;

outsole: black compact PU 7466 INDUSTRY marked "ANTISTATIC OIL RESISTANT"

(CH00116);

(TL00153);

midsole: black foam PU (CH00117);

upper: lead grey split suede leather declared thickness 1,8/2,0 mm (PL00039) with inserts made of black split leather declared thickness 1,8/2,0 mm (PL00008) and an insert

CARBON on grey PU (SI00116) in the heel zone;

collar: grey three-dimensional fishnet knitting MESH (SI 00052); tongue: same leather as that of the upper (PL00039) and of the collar (SI 00052),

centrally lined and padded;

vamp lining: light grey three-dimensional fishnet knitting OMEGA ECO C02 coupled with

beige canvas (SI00120);

(UNI EN ISO 20344:2012)

guarter lining: black three-dimensional fishnet knitting IMOLA (\$100028);

collar and tongue lining: red three-dimensional fishnet knitting IMOLA (\$100011);

insole: white multilayered fabric with black print declared conductive art. WB FLEX (SP00007), which also serves as penetration resistant insert;

removable insock: black perforated foam material MEMORY coupled with black knitting in contact with the user, with zig-zag stitching with conductive thread in the forepart

toecap: polymeric material, article PS240 HAWAI (PU00042).

Optional interchangeable orthopaedic insocks (DGUV 112-191) described by the Customer as below (see also page 3): SECOSOL® by Matthias Hartmann Orthopädie +

Sport GmbH (max thickness in the toe tip area: 2,9 mm):

SECOSOL® COMPLETE - No. Art. 951622012451XX

SECOSOL® LAMINATO CON TESSUTO – No. Art. 951610<mark>1XXX7XXX</mark>

Technical Standard: EN ISO 20344:2011 Personal protective equipment – Test methods for footwear

> EN ISO 20345:2011 Personal protective equipment – Safety footwear (UNI EN ISO 20345:2012)



DBD No 0330 B

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





EU Type Examination Certificate

Date: 2021/03/30	n. 860211311/TE	Validity: 2026/03/29
Intended use:	general industry, engineering industry, construction industry, agriculture, warehouses, works on trucks, cranes.	
Size range:	from 35 to 48	
Technical File:	DC-13004/E	
Test report:	RCT n°4031010.01/E	
Functions and performance levels:	basic requirements for safety footwear (SB) (see Table 2 and 3 of EN ISO 20345:2011): all mandatory ones, among which:	
	 SRC = Slip resistance – meets the following requirement: surface: ceramic / <u>lubricant</u>: detergent solution; surface: steel / <u>lubricant</u>: glycerol. 	
	Additional requirements (Tab. 18 and 20 of EN ISO 20345:2011): \$1 = closed seat region, antistatic properties, energy absorption of seat region, resistance to fuel oil; P = penetration resistance of the sole.	
	Note 1: the penetration resistance of the synthetic stitch produced diameter of the perforating object; in return the synthetic inscendence advantages (flexibility, insulation, humidity and improve the control of the penetration of the synthetic stitch produced in the synthetic instruction in the synthetic instruction in the synthetic instruction in the synthetic instruction in the synthetic stitch produced in the synthetic instruction in the synthetic stitute in the synth	ole offers more protective surface and
Marking:	on a stitched label and displaying the following information: - CE Marking; - registered trademark, name and complete address of the Manufacturer; - designation of the footwear (= article name and alphanumeric code); - nr. and year of the Standard of reference + safety symbols; - size of the footwear (printed on the outsole); - production date (month + year); - additional information: website, category of the PPE, "Made in".	





PRD N° 0230 B

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





EU Type Examination Certificate

Date: 2021/03/30 n. **860211311/TE** Validity: 2026/03/29



www.u-power.it

UGROUP RR30566

12/2020 LIGHT ONE

EN ISO 20345:2011 S1P SRC

MADE IN TUNISIA

UGROUP SRL Via Borgomanero,50 Paruzzaro (NO)-Italy

DPI II



SECOSOL® COMPLETE 951622012451XX







Note: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements.

The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).