

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC





## **EU Type Examination Certificate**

Date: 2021/05/10 n. 860211901/TE Validity: 2026/05/09

This Certificate is a translation in English of the original Certificate issued in Italian.

The hereunder described items of Personal Protective Equipment have overcome positively the "EU type examination" (Module B), proving their conformity to the safety and <mark>health requireme</mark>nts of the Regulation (EU) 2016/425 (Annex II)

Manufacturer: **U-GROUP SRL** (Responsible of the Via Borgomanero, 50 – 28040 Paruzzaro (NO) – Italia PPE) Type of PPE: Safety footwear in conformity with EN ISO 20345:2011 class I (= footwear in leather and other materials) Category of PPE: II: "medium" risks. This certificate is based on reference standards listed below: its validity is no longer ensured should new version of the standards come into force.

Model "SPECTER ESD" code **RS20036** 

model: A (low footwear); Description:

fastening system: by means of fluo-green laces;

processing: direct injection;

outsole: grey 63354 compact PU "7466 360" marked "ANTISTATIC OIL RESISTANT"

(CH00116);

midsole: grey 63354 foam PU (CH00117) with white polystyrene inserts in the rear area;

<u>upper</u>: grey split suede leather declared thickness 1.8/2.0 mm (PL00058), pearl-grey three-dimensional fishnet knitting AIRNET (SI00131) in the toe tip area and light grey 91 fishnet knitting VERTEX (SI00717);

rear collar: black coated microfiber MYCRO RUBBER IDRO declared thickness 2,1/2,2 mm (SI00707), padded;

tongue: pearl-grey three-dimensional fishnet knitting AIRNET (S100131), padded and lined:

bellows: black coated synthetic fabric SPICE (S100002);

vamp lining: grey three-dimensional fishnet knitting IMOLA coupled with black canvas (SI

quarter lining: grey 599 three-dimensional perforated knitting SURF (SI00468);

rear collar and tongue lining: fluo-green three-dimensional perforated knitting SURF (SI00206);

insole: white multi-layered fabric with a black print declared conductive art. WB FLEX (SP 00007), which also serves as penetration resistant insert;

removable insock: grey perforated foam material coupled with black knitting with "WOW!" stamp in contact with the foot, with two zig-zag stitching with conductive thread in the forepart (TL 00161);

toecap: alluminum, article A522 MARTEK (PU00041).

Optional interchangeable orthopaedic insocks (DGUV 112-191) described by the Customer as below (see also page 3): SECOSOL® by Matthias Hartmann Orthopädie + Sport GmbH (max thickness in the toe tip area: 2,9 mm):

SECOSOL® COMPLETE - No. Art. 951622012451XX

SECOSOL® LAMINATO CON TESSUTO – No. Art. 9516101XXX7XXX





Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC





## **EU Type Examination Certificate**

Date: 2021/05/10 n. 860211901/TE Validity: 2026/05/09

Technical Standard: EN ISO 20344:2011 Personal protective equipment – Test methods for footwear (UNI EN ISO 20344:2012) EN ISO 20345:2011 Personal protective equipment – Safety footwear (UNI EN ISO 20345:2012) Intended use: general industry, engineering industry, construction industry, agriculture, warehouses, works on trucks, cranes. Size range: from 35 to 48 Technical File: DC-13265 RCT n°4031816/E Test report: Functions and basic requirements for safety footwear (SB) (see Table 2 and 3 of EN ISO 20345:2011); all performance levels: mandatory ones, among which: **SRC = Slip resistance** – meets the following requirement: - surface: ceramic / <u>lubricant</u>: detergent solution; - surface: steel / <u>lubricant</u>: glycerol. Additional requirements (Tab. 18 and 20 of EN ISO 20345:2011): \$1 = closed seat region, antistatic properties, energy absorption of seat region, resistance to fuel oil; **P** = penetration resistance of the sole. Note 1: the penetration resistance of the synthetic stitch proof insole tends to decrease with the diameter of the perforating object; in return the synthetic insole offers more protective surface and ergonomics advantages (flexibility, insulation, humidity and impact absorption). Note 2: the footwear also meets the requirement in accordance with IEC 61340-5-1:2016 (IEC 61340-4-3:2017) for the electrical resistance **ESD** (electric dissipative footwear). Marking: on a stitched label and displaying the following information: - CE Markina: - registered trademark, name and complete address of the Manufacturer; designation of the footwear (= article name and alphanumeric code); nr. and year of the Standard of reference + safety symbols;

- size of the footwear (printed on the outsole);
- production date (month + year);
- additional information: website, category of the PPE, "Made in ...".





### PRD Nº 0230 B

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





# **EU Type Examination Certificate**

Date: 2021/05/10 n. **860211901/TE** Validity: 2026/05/09



www.u-power.it

RS20036 UGROUP

03/2021 SPECTER ESD

EN ISO 20345:2011 S1P SRC

### MADE IN TUNISIA

UGROUP SRL Via Borgomanero,50 Paruzzaro (NO)-Italy

DPI II





### SECOSOL® COMPLETE 951622012451XX



# SECOSOL® LAMINATO CON TESSUTO 9516101XXX7XXX



Note: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements.

The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).

