

PRD N° 0230 B Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





1011

EU Type Examination Certificate

Date: 2021/06/17

n. 860212403/TE

Validity: 2026/06/16

This Certificate is a translation in English of the original Certificate issued in Italian.

The hereunder described items of Personal Protective Equipment have overcome positively the "EU type examination" (Module B), proving their conformity to the safety and health requirements of the Regulation (EU) 2016/425 (Annex II)

Manufacturer: (Responsible of the	U-GROUP SRL		
PPE)	Via Borgomanero, 50 <mark>– 28040</mark> Paruzzaro (NO) – Italia		
Type of PPE:	Safety footwear in conformity with EN ISO 20345:2011 class I (= footwear in leather and other materials)		
Category of PPE:	II: "medium" risks. This certificate is based on reference standards listed below: its validity is no longer ensured should new version of the standards come into force.		
Model:	"CURRY ESD"		
	code R\$20156		
Description:	<u>model</u> : A (low footwear); <u>fastening system</u> : by means of yellow laces; <u>processing</u> : direct injection; <u>outsole</u> : grey 63354 compact PU "7466 360" marked "ANTISTATIC OIL RESISTANT" (CH00116);		
- Sha	midsole: light grey 63354 foam PU (CH00117) with white polystyrene inserts in the rear area;		
Real Con	<u>upper</u> : taupe brown split suede leather declared thickness 1,8/2,0 mm (PL00015) partially perforated; with black polymeric insert in the heel area, marked "BREATHABLE", with lateral holes closed by means of a fabric/membrane;		
C C	rear collar: black Lycra MOREA (SI00753) padded with black folded Lycra edge (AT01766); the collar has been shaped to create a loop to ease the donning; tongue: black fishnet knitting AIRNET (SI00151), lined and padded;		
	bellows: black coated synthetic fabric SPICE (SI00002); vamp lining: grey three-dimensional fishnet knitting IMOLA coupled with a black canvas (SI00649);		
	<u>quarter lining</u> : grey 599 three-dimensional fishnet knitting SURF (SI00468); <u>tongue lining</u> : yellow three-dimensional fishnet knitting SURF (SI00485); <u>rear collar lining</u> : yellow three-dimensional fishnet knitting SURF, reversed (SI00485); <u>heel-grip lining</u> : anthracite grey non-woven fabric THORIN (SI00283);		
	insole: white multilayered fabric with a black print declared conductive, art. WB FLEX (SP00007), which also serves as penetration resistant insert;		
	<u>removable insock</u> : grey perforated foam material coupled with black knitting with "WOW!" stamp in contact with the user, with zig-zag stitching with conductive thread in the forepart (TL00161);		
	toecap: aluminium, art. A522 MARTEK (PU00041).		
	Optional interchangeable orthopedic insocks (DGUV 112-191) described by the Customer as follows (see also page 3): SECOSOL® by Matthias Hartmann Orthopädie + Sport GmbH (max thickness in the toetip area: 2,9 mm): SECOSOL® COMPLETE – article number 951622012451XX SECOSOL® LAMINATO CON TESSUTO – article number 9516101XXX7XXX		
	COLLAUDI		



PRD N° 0230 B Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





EU Type Examination Certificate

Date: 2021/06/17	n. 860212403/TE		Validity: 2026/06/1	
Technical Standard:	EN ISO 20344:2011 (UNI EN ISO 20344:2012) EN ISO 20345:2011 (UNI EN ISO 20345:2012)		pment – Test methods for footwer pment – Safety footwear	
Intended use:	ge <mark>ne</mark> ral industry, engineering industry, construction industry, agriculture, warehouses, works on trucks, cranes.			
Size range:	from 35 to 48			
Technical File:	DC-13528/E			
Test repo <mark>rt:</mark>	RCT n°4031619/E			
Functions and performance levels:	basic requirements for safety footwear (SB) (see Table 2 and 3 of EN ISO 20345:2011): mandatory ones, among which:			
	 <u>surface</u>: ceramic / <u>lubric</u> <u>surface</u>: steel / <u>lubricant</u> Additional requirements (T S1 = closed seat region resistance to fuel oil; P = p 	: glycerol. ab. 18 and 20 of EN ISO 203 n, antistatic properties, er enetration resistance of the	45:2011): hergy absorption of seat regio sole.	
	diameter of the perforating of ergonomics advantages (flex Note 2: the footwear also me	bject; in return the synthetic ins ibility, insulation, humidity and in	nce with IEC 61340-5-1:2016 (IE <mark>C 613</mark> 4	
Marking:	 CE Marking; registered trademark, no designation of the footw nr. and year of the Stand size of the footwear (printipart) production date (monthing) 		of the Manufacturer; phanumeric code); ymbols;	





PRD N° 0230 B Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





EU Type Examination Certificate

Date: 2021/06/17

n. 860212403/TE

Validity: 2026/06/16



NOTE: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements. The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).

