

PRD N° 0230 B Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





## EU Type Examination Certificate

Date: 2021/03/30

## n. 860211306/TE

Validity: 2026/03/29

This Certificate is a translation in English of the original Certificate issued in Italian.

The hereunder described items of Personal Protective Equipm<mark>ent</mark> have overcome positively the "EU type examination" (Module B), proving their conformity to the safety and health requirements of the Regulation (EU) 2016/425 (Annex II)

Manufacturer: (Responsible of the	U-GROUP SRL Via Borgomanero, 50 – 28040 Paruzzaro (NO) – Italia		
PPE)			
Type of PPE:	Safety footwear in conformity with EN ISO 20345:2011 class I (= footwear in leather an other materials)		
Category of PPE:	II: "medium" risks. This certificate is based on reference standards listed below: its validity is no longe ensured should new version of the standards come into force.		
Model	"IROKO ESD" code RR20304		
Description:	model: A (low shoe);   fastening system: by means of laces;   processing: direct injection;   outsole: black compact PU 7466 INDUSTRY marked "ANTISTATIC OIL RESISTAN (CH00116);   midsole: black foam PU (CH00117);   upper: black grain leather declared thickness 1,8/2,0 mm (PL00006), lateral insert mail of grey fabric ALCHIMISTA coupled with PE (SI00215) with black coated microfiber and abrasion LARICI thickness 2.0 mm (SI00544) in the toe tip area;   collar: grey/black fabric ALCHIMISTA coupled PE (SI00215)   tongue: grey/black fabric ALCHIMISTA SEMPLICE (SI00214), centrally lined and padded bellows: black coated fabric SINTETICO SPICE (SI00002);   vamp lining: light grey three-dimensional fishnet knitting IMOLA (SI00028); collar lining: red three-dimensional fishnet knitting IMOLA (SI00028); collar lining: red three-dimensional fishnet knitting IMOLA (SI00028); collar lining: red three-dimensional fishnet knitting IMOLA (SI00011); insole: white multilayered fabric with black print declared conductive art. WB FL (SP0007), which also serves as penetration resistant insert; removable insock: black perforated foam material MEMORY coupled with black knittli in contact with the user, with zig-zag stitching with conductive thread in the forep (TL00153); toecap: polymeric material, article PS240 HAWAI (PU00042).   Optional interchangeable orthopaedic insocks Sport GmbH (max thickness in the toe tip area: 2,9 mm): SECOSOL® COMPLETE – No. Art. 951622012451XX   SECOSOL® LAMINATO CON TESSUTO – No. Art. 9516101XXXXXX		
Technical Standard:	EN ISO 20344:2011 (UNI EN ISO 20344:2012) EN ISO 20345:2011 (UNI EN ISO 20345:2012) Personal protective equipment – Safety footwear		
	COLLAG Columnisme		

Certificato ue E rev05 - 26/10/20



PRD Nº 0230 B Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





## EU Type Examination Certificate

Date: 2021/03/30	n. 860211306/TE	Validity: 2026/03/29
Intended use:	general industry, engineering industry, construction ind works on trucks, cranes.	dustry, agriculture, warehouses
Size range:	from 35 to 48	
Technical File:	DC-13004/E	
Test report:	RCT n°4031010.01/E	
Functions and performance levels:	basic requirements for safety footwear (SB) (see Table 2 or mandatory ones, among which:	and <mark>3</mark> of EN ISO 20345:2011): al
	SRC = Slip resistance – meets the following requirement: - surface: ceramic / lubricant: detergent solution; - surface: steel / lubricant: glycerol.	
	Additional requirements (Tab. 18 and 20 of EN ISO 20345:2 S3 = closed seat region, antistatic properties, energy resistance to fuel oil, water penetration resistance ar upper), penetration resistance, cleated outsole;	gy absorption <mark>of seat re</mark> gion
	Note: the penetration resistance of the synthetic stitch proof diameter of the perforating object; in return the synthetic insole ergonomics advantages (flexibility, insulation, humidity and impo	offers more protective surface and
Marking:	on a stitched label and displaying the following information - <b>CE Marking</b> ; - registered trademark, name and complete address of t - designation of the footwear (= article name and alphan - nr. and year of the Standard of reference + safety symbols - size of the footwear (printed on the outsole); - production date (month + year); - additional information: website, category of the PPE, "N	the Manufacturer; numeric code); pols;





PRD N° 0230 B Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





## EU Type Examination Certificate

Date: 2021/03/30

n. 860211306/TE

Validity: 2026/03/29



Note: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements. The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).

